

## PATENT

In re patent application of: Shimon Gruper, Nicky Pappo, Leonid Kogan, Eyal Zohar and Sergey Korabelnikov

For:     Software Application Environment

"Express Mail" Label No. EM405882419US  
Date of Deposit - September 25, 1997 *ES*

I hereby certify that this paper is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231

By Bob Inforzato  
Typed Name: Bob Inforzato

BOX PATENT APPLICATION  
Assistant Commissioner for Patents  
Washington DC 20231

Sir:

PATENT APPLICATION TRANSMITTAL LETTER

Transmitted herewith for filing, please find the following:

- (XX) The specification of the above-referenced patent application.
- (XX) 2 sheet(s) of (XX) formal/( ) informal drawing(s) or photographs.
- (XX) An ( ) **executed**/(XX) **unexecuted** Declaration or Oath and Power of Attorney.
- ( ) An Assignment of the invention to \_\_\_\_\_.
- ( ) Copy of Assignment(s) for the parent application and separate Form(s) 1595 for each Assignment will be submitted upon receipt of the Official Filing Receipt.
- ( ) A certified copy of a \_\_\_\_\_ application.
- ( ) An Associate Power of Attorney.
- (XX) An **unexecuted** Verified Statement Claiming Small Entity Status under 37 CFR 1.9 and 1.27.

( ) Statement to Support Filing and Submission of DNA/Amino Acid Sequences in Accordance with 37 CFR §§ 1.821 through 1.825.

( ) Petition to Accept Photograph(s) as Drawing(s).

(XX) Other (specify): Appendices (1 - 53) on Microfiche.

The filing fee has been calculated as shown below:

			SMALL ENTITY			OTHER THAN SMALL ENTITY	
For:	No. Filed	No. Extra	Rate	Fee	OR	Rate	Fee
BASIC FEE				\$385	OR		\$770
Total Claims	18 - 20 =	0	x \$11=	\$0	OR	x \$22=	\$
Indep. Claims	11 - 3 =	8	x \$40=	\$320	OR	x \$80=	\$
First Presentation Multiple Dependent Claims			+\$130=	\$	OR	+\$260=	\$
TOTAL				\$705			\$

( ) Please charge my Deposit Account No. 23-3050 in the amount of \$\_\_\_\_. This sheet is attached in triplicate.

( ) A check in the amount of \$ 705 is attached. Please charge any deficiency or credit any overpayment to Deposit Account No. 23-3050.

(XX) The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 23-3050. This sheet is attached in triplicate.

(XX) Any additional filing fees required under 37 CFR 1.16 including fees for presentation of extra claims.

(XX) Any additional patent application processing fees under 37 CFR 1.17 and under 37 CFR 1.20(d).


(XX) The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to Deposit Account No. 23-3050. This sheet is attached in triplicate.

(XX) Any patent application processing fees under 37 CFR 1.17 and under 37 CFR 1.20(d).

( ) The issue fee set in 37 CFR 1.18 at or before mailing of the Notice of Allowance, pursuant to 37 CFR 1.311(b).

(XX) Any filing fees under 37 CFR 1.16 including fees for presentation of extra claims.

Date: September 25, 1997

  
\_\_\_\_\_  
Signature  
John W. Caldwell  
Registration No. 28,937

WOODCOCK WASHBURN KURTZ  
MACKIEWICZ & NORRIS LLP  
One Liberty Place - 46th Floor  
Philadelphia, PA 19103  
(215) 568-3100

Applicant or Patentee: Shimon Gruper, Nicky Pappo, Leonid Kogan,  
Eyal Zohar and Sergey Korabelnikov

Serial or Patent No.: Unknown Attorney's Docket No.: COLB-0083

Date Filed or Issued: Herewith

For: Software Application Environment

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS  
(37 CFR 1.9(d) and 1.27(c)) - SMALL BUSINESS CONCERN

I hereby declare that I am:

( ) the owner of the small business concern identified below:

(XX) an official empowered to act on behalf of the concern  
identified below:

NAME OF CONCERN: Eliashim Ltd.

ADDRESS OF CONCERN: 22 Haashlag Street  
Haifa 31250, Israel

I hereby declare that the above-identified small business concern qualifies as a small business concern as defined in 37 CFR 1.21.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, in that: (1) the number of employees of the concern, including those of its affiliates, does not exceed 500 persons; and (2) the concern has not assigned, granted, conveyed, or licensed, and is under no obligation under contract or law to assign, grant, convey, or license, any rights in the invention to any person who could not be classified as an independent inventor if that person had made the invention, or to any concern which would not qualify as a small business concern or a nonprofit organization under this section. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention entitled **Software Application Environment** by inventor(s) Shimon Gruper, Nicky Pappo, Leonid Kogan, Eyal Zohar and Sergey Korabelnikov described in

(XX) specification filed herewith.

( ) application serial no. \_\_\_\_\_, filed \_\_\_\_\_.

( ) patent no. \_\_\_\_\_, issued \_\_\_\_\_.

If the rights held by the above-identified small business concern are not exclusive, each individual, concern or organization having rights in the invention is listed below\* and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e).

\*NOTE: Separate verified statements are required for each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

FULL NAME: @@

ADDRESS: @@

( ) INDIVIDUAL ( ) SMALL BUSINESS CONCERN ( ) NONPROFIT ORGANIZATION

FULL NAME: @@

ADDRESS: @@

( ) INDIVIDUAL ( ) SMALL BUSINESS CONCERN ( ) NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING

TITLE OF PERSON SIGNING

ADDRESS OF PERSON SIGNING

SIGNATURE

DATE

## FIELD OF THE INVENTION

The present invention relates to controlling application software and more particularly but not exclusively to countermeasures that may be applied to deal with applications or applets and the like that are downloaded from other computers and from the Internet.

Note: The specification includes a microfiche appendix.

## BACKGROUND OF THE INVENTION

Recent years have seen the rapid growth of the Internet. Many developments have come together to produce the Internet that we know today, and one of them is the use of applets, written in languages such as Java, which are executable programs that can be run by a web browser. In addition, faster modems have led to shorter downloading times. This has led to a growth in the downloading of programs in general directly from the Internet. The Internet is eminently suitable for such use, and one of the reasons why such use is not widespread is that people are afraid to use the Internet. This is for two main reasons. The first is that they are afraid of downloading software whose behavior is not known or that may contain viruses. The second is that they are afraid that confidential information, such as credit card numbers and the like, may somehow be made available to parties other than the intended recipients.

In regard to viruses, programs have been around for many years that detect the presence of viruses, and either delete the viruses themselves, or delete the infected file. These programs depend on recognizing specific virus programs or on recognizing strings of program code that look as though they might have the potential to carry out activities normally associated with viruses. In order to overcome the virus detection programs more recent viruses have been designed to introduce changes to themselves when they replicate so that they do not fit in with any template or pattern that the virus detector might be using. Furthermore a virus detection program has only a limited chance of detecting a virus that was not known about when the detection program was written, especially

if the way in which the virus was written is radically different from previous viruses, as occasionally happens. Furthermore virus detection programs are generally ineffective at detecting viruses that are written as macros within programs.

In any case it cannot be guaranteed that conventional countermeasures will work against all viruses, and the fear of computer viruses has been a serious impediment to the development of the Internet.

Virus detection programs also cannot detect what are known as “vandals”. “Vandals” differ from viruses in that they are complete programs that are executable in themselves, as opposed to viruses, which cannot work by themselves and need to infect host programs in order to be able to replicate and cause damage. Vandals are programs that carry out activities outside the range of expectations of the user. For example they may damage or delete other files or interfere with the operation of other programs. Internet style applets make ideal vandals as they can often be downloaded from the internet through one’s web browser without the user even being aware of its presence.

The theft of confidential information is another task that vandals can carry out. The vandal applet is downloaded from the internet without the knowledge of the user and begins to scan the disk for the confidential information, or wait for the user to enter such information for some other purpose. It then passes the information to a specific site at some time that the user is connected to the Internet, again without the user being aware that anything untoward has occurred.

The reason that anti-virus programs have difficulty in detecting vandal programs is that they are not viruses and indeed lack many of the fundamental features of viruses, that is to say they do not replicate and they do not modify existing files as they infect them. Furthermore the preparation of a reliable anti-vandal program is problematic because it is difficult to lay down precise criteria to enable a computer program to distinguish between a wanted applet and a vandal.

## SUMMARY OF THE INVENTION

It is an object of the present invention to improve the confidence of the user in the Internet. Ideally confidence should be raised sufficiently that users are happy to use the internet for business purposes.

According to a first aspect of the present invention there is provided apparatus for ensuring the integrity of computer applications to be run in association with a computer having data storage arranged sectorwise in a storage device, comprising an identifier for identifying an application to be run, a listing associated with at least one of the applications to be run, the listing identifying different sectors of the storage device and associating with each identified sector an access level required by the application, and an enforcement device, for prohibiting the at least one application from accessing an identified sector of the storage device at any level higher than the associated required access level.

According to a second aspect of the invention there is provided apparatus for ensuring the integrity of computer applications to be run in association with a computer having data storage arranged sectorwise in a storage device. The Apparatus comprises an identifier for identifying an application to be run, a listing associated with at least one of the applications to be run, the listing identifying different sectors of the storage device and associating with each identified sector an access level, an enforcement device, for preventing the at least one application from accessing an identified sector of the storage device at any level higher than the associated access level, and a query device, for identifying when an attempt to access a sector of the storage device has been prevented by the enforcement device, querying the attempt with the user, or against a predefined configuration, and if found acceptable then including the higher level of access in the listing.

In embodiments the step of querying may only be carried out for a limited period of time. This may be literally a predetermined time from installation of any given program or it may be a predetermined time measured only whilst the new program is running. Alternatively a program may



be run in this learning mode until the next occasion upon which the computer is reset. Then again in one embodiment a predetermined number of operations of the new program is counted through, and once that number is reached learning mode is ended. Other forms of limitation of the learning mode will suggest themselves to the skilled person and all of these are viable alternatives that could provide useful embodiments of the invention. As an alternative it is possible not to set a limit on the length of the learning mode.

According to a third aspect of the present invention there is provided apparatus for ensuring the integrity of computer applications to be run in association with a computer having data storage arranged sectorwise in a storage device, comprising an identifier for identifying at least one application to be run, the at least one application being adapted to call at least one other application to run, a listing associated with at least one of the applications to be run, the listing identifying different sectors of the storage device and associating with each identified sector an access level required by the application, an enforcement device, for prohibiting the at least one application from accessing an identified sector of the storage device at any level higher than the associated required access level, and wherein the identifier is adapted firstly to identify a listing associated with the at least one other application for use with the enforcement device, and if such a listing cannot be found then identifying a listing associated with the at least one application for use with the enforcement device.

According to a fourth aspect of the present invention there is provided a computer connected to a network, the computer comprising a storage device for storing data, a transmission device for sending data from the computer to the network, a listing of controlled data which should not be sent to the network, a comparison device adapted to compare data sent to the transmission device with the controlled data, and a prevention device for preventing data corresponding to the controlled data being sent automatically to the network.

In embodiments, any of the above aspects may be combined with apparatus for downloading data from identifiable sites in a network to a computer. the data may comprise a

plurality of types of data including executable program data, The apparatus comprises a list of known sites, checking means for comparing a source of any downloaded material with said list, and prevention means, for preventing execution of executable program data that does not come from a site on the list, or alternatively that does come from said list. In embodiments, means may be provided for modifying the list.

Embodiments may further comprise override means adapted to allow an operator to override the enforcement or prevention devices..

Embodiments of the invention may comprise any combination of the above five aspects.

It is noted that throughout the specification and claims the term "data" includes, but is not limited to, any information or executable instructions. It is further noted that throughout the specification and claims the terms "sector" and "sectorwise" may refer to physical locations or logical locations such as directories. It is further noted that throughout the specification and claims the term "storage" may refer to either volatile or non-volatile storage.

#### BRIEF DESCRIPTION OF THE DRAWINGS

For a better understanding of the invention and to show how the same may be carried into effect, reference will now be made, purely by way of example, to the accompanying drawings in which,

Figure 1 is a flow chart of the operation of a first embodiment of the invention,

Figure 2 is a flow chart of the operation of a second embodiment of the invention,

Figure 3 is a flow chart of the operation of a third embodiment of the invention, and

Figure 4 is a flow chart of the operation of a fourth embodiment of the invention.

Attached herewith is a microfiche appendix comprising Appendix A which aids in the understanding and appreciation of one preferred embodiment of the invention shown and described herein. Appendix A represents a computer listing of a preferred software embodiment of the present invention.

## DESCRIPTION OF THE PREFERRED EMBODIMENTS

Figure 1 is a flow chart of a first embodiment of the present invention which is operable to control application software. A computer may have numerous applications which can be run, some being widely available computer programs whose behavior is well documented, and some may be customized software whose behavior is not well understood or which has not been well tested. Some of these applications may have been downloaded from unreliable sources and some may be present without the knowledge of the user. In some cases the programs may be "vandal" programs of the type discussed above. Vandal programs are for example rogue applets that attempt to access areas of the hard drive where damage can be done and where applets in general would not normally need to have access.

The present invention is thus operable to provide sets of parameters in which each individual program is allowed to operate. In order to determine whether a particular application is operating normally, embodiments of the present invention use, or create and use, a listing of activities that the application may wish to carry out. This listing is alternatively referred to herein as the application's predefined set. The activities are either permitted or forbidden, depending on whether they are part of the predefined set. The listing may be used to validate operations that the program tries to carry out. If the operation is not one that the listing permits then either the user is alerted to give specific permission or the operation is stopped altogether.

The listing used need not be an exhaustive listing of the operation of the program. It only need list those operations that are relevant to suspect or forbidden activity, which would typically involve attempts to access different parts of the system hard drive and write or delete data from the area accessed, or execute programs located within the area accessed. Table 1 below is a listing of levels of access that a typical application program might be given, to different parts of the system hard drive. The table is drawn up for *Netscape Navigator*, operating under the *Windows* operating system. This is a program which requires a relatively high level of access to different areas

of the system hard drive. Nevertheless its profile is readily distinguishable from that of most suspect or forbidden activity. It will be apparent that the predefined set is a list of directories on the system hard drive, and associated with each such directory is a list of access levels that may be allowed with that directory.

<i>Directory/location</i>	<i>Level of Authorization</i>
Windows Path	Read write create execute delete
Windows/command path	read create execute
Environment Variable: Temp Tmp	Read write create execute delete
Environment Variable: Path	Read create execute
Product Path	Read write create execute delete
Product/Data Path	Read write create
WindowsPath/Sysbckup	Read write create execute delete
WindowsPath/help	Read write create execute
Recycle Bin directories	Read write create execute delete
Application path	Read write create execute delete
Application cache	Read write create execute delete
WindowsPath/fonts	Read write create execute

**Table 1. Predefined set for Netscape Navigator**

An enforcement file is drawn up using a table such as table 1. When the application is run, disk access requests may be checked against the enforcement file. If the type of disk access is not allowed by the enforcement file then either the operation is stopped, the user is prompted to give specific permission, or a pre-defined automatic response may occur. The enforcement file may be automatically updated based on the nature of the application's request and the subsequent response.

It is possible to draw up a series of enforcement files for popular products and to ship them as part of a package incorporating an embodiment of the invention. The package may then identify the installed products as part of, or following, a booting operation of the computer. The relevant enforcement file may then be called up as the products are run. Searching for a given application may be carried out by looking in the system registry. Alternatively it may be necessary to make a more general search of the hard drive, as is well known to those skilled in the art.

Instead of carrying out a product identification operation in association with booting of the computer, it may be carried out following given events such as installing a new product or upon finishing an Internet session, with an appropriate predefined set selected for each application identified.

Alternatively the user may not wish to have the invention operating on his computer at all times. Manual activation may thus be provided. The general operation of this embodiment is as shown in Figure 1 which is a flow diagram showing how an embodiment may be installed on a computer 10, may be manually activated 12, or may automatically be led to detect installed software 14 and may see that the details of the enforcement file, or sandbox, are adhered to 16. At the next computer boot 18 the embodiment returns to the detection step 14.

In the event that an enforcement file is not available, an embodiment of the invention, whose flow diagram is shown in Figure 2, has a so-called learn mode. In this mode a new program is assigned a general enforcement file. The general enforcement file gives the program no access rights at all to files on the system disk. The program then attempts to make a file access 20. Provided the access attempt is within certain parameters the system allows the attempt and learns the details so that in future an access to that area of the disk will always be allowed. Thus a specific enforcement file is gradually built up over the duration of the learn mode. The specific enforcement file is then consulted 22, in future access attempts, to decide whether the program has rights to access the required part of the system disk at the requested level. If the answer is yes the program continues in the normal way, 24. However, as the program attempts to access areas to which it does not have rights, 26, the user is prompted to give specific permission. The user may grant the level of access for the specific session only or he may grant it permanently. Alternatively an automatic learn mode may be configured, in which any but the most drastic levels of access are granted to the program. Learn mode may be set up only for a specific session or the user may wish to have the program run continuously in learn mode. A specific enforcement file is built up, as mentioned above, based on the instances of specific permission being given, and the profile of the new application is thus gradually

learnt. It will be appreciated that the automatic version of learn mode is best run only for specific sessions, otherwise no real program profile is enforced.

The use of profiles to spot vandal activity depends on knowing exactly which program is running at any one time. But many programs are able to call up other programs (daughter applications) as part of their own operation. The embodiment of the invention shown in Figure 3 therefore keeps track of the hierarchy of programs which are operating. The hierarchy, or thread, is first detected, 30. The embodiment checks to see if the thread itself is registered, 32. If the daughter application has its own enforcement file then that is used, 34. If it does not then the thread is assigned the enforcement file of the parent application, 36. This is then modified in exactly the same way as the general enforcement file of a new application 38.

An example of the kind of hierarchy involved in the above is a web browser such as *Netscape* calling up an audio player such as *Real Audio* to play a sound file, a task that it is not able to carry out itself. Although *Real Audio* is a self-contained application with its own enforcement file, it will not obtain the rights of its own enforcement file but rather those of the web browser that called it.

A further problem with the Internet environment is that applets can be written to download from the Internet without the knowledge of the user when for example accessing a particular website. The applets scan the disk for confidential information such as credit card numbers, or wait for the user to enter such information for some other purpose, and then they pass the information to a specific site at some time that the owner is connected to the Internet, again without the user being aware that anything untoward has occurred.

The present invention deals with this problem by providing an embodiment, a flow diagram of which is shown in figure 4, which examines every data packet that is sent out from the computer against a database of confidential information. The computer is assumed to use a standard Internet protocol package which arranges all of the data to be sent out in the form of data packets, 40. The embodiment checks each packet as it goes out, 42. If the data packet is found to contain a

match with any of the entries in the database, 44, then the application is stopped, either permanently or until the user responds to a prompt.. If the packet is not determined to have confidential information then of course the communication is allowed to continue. Obtaining the contents of data packets before they are sent out of the computer using some form of Internet Protocol, is a problem that is easily solved by the skilled man. In a more advanced embodiment data packets coming into the computer are all also read to check for the same confidential information as such would indicate that the data has already escaped from the computer. In some cases the earlier embodiments of the invention can also be relied upon to prevent such rogue applets from working when they try to read parts of the system hard drive that the program within which they are operating does not have access rights.

A preferred method for constructing a three-dimensional terrain rendering system operative in accordance with a preferred embodiment of the present invention is now described:

- a) Provide a computer terminal, such as an Intel-based Pentium 166 Mhz computer, configured with the Microsoft Windows 95 operating system;
- b) Generate SETUP.EXE and associated binary files from the hexadecimal computer listing of Appendix A;
- c) Load the files generated in step b) into a directory of the computer terminal provided in step a) and execute SETUP.EXE.

It is appreciated that the particular embodiment described in Appendix A is intended only to provide an extremely detailed disclosure of the present invention and is not intended to be limiting.

It is appreciated that any of the software components of the present invention may, if desired, be implemented in ROM (read-only memory) form. The software components may, generally, be implemented in hardware, if desired, using conventional techniques.

It is appreciated that various features of the invention which are, for clarity, described in the contexts of separate embodiments may also be provided in combination in a single embodiment.



Conversely, various features of the invention which are, for brevity, described in the context of a single embodiment may also be provided separately or in any suitable subcombination.

It will be appreciated by persons skilled in the art that the present invention is not limited to what has been particularly shown and described hereinabove. Rather, the scope of the present invention is defined only by the claims that follow:

## CLAIMS

What is claimed is:

1. Apparatus for ensuring the integrity of computer applications to be run in association with a computer having data storage arranged sectorwise in a storage device, comprising  
an identifier for identifying an application to be run,  
a listing associated with at least one of said applications to be run, said listing identifying different sectors of said storage device and associating with each identified sector an access level required by said application, and  
an enforcement device, for prohibiting said at least one application from accessing an identified sector of said storage device at any level higher than said associated required access level.
2. Apparatus for ensuring the integrity of computer applications to be run in association with a computer having data storage arranged sectorwise in a storage device, comprising  
an identifier for identifying an application to be run,  
a listing associated with at least one of said applications to be run, said listing identifying different sectors of said storage device and associating with each identified sector an access level,  
an enforcement device, for preventing said at least one application from accessing an identified sector of said storage device at any level higher than said associated access level, and  
a query device, for identifying when an attempt to access a sector of said storage device has been prevented by said enforcement device, querying said attempt with said user, and if found acceptable then including said higher level of access in said listing.
3. Apparatus for ensuring the integrity of computer applications to be run in association with a computer having data storage arranged sectorwise in a storage device, comprising  
an identifier for identifying an application to be run,

a listing associated with at least one of said applications to be run, said listing identifying different sectors of said storage device and associating with each identified sector an access level,

an enforcement device, for preventing said at least one application from accessing an identified sector of said storage device at any level higher than said associated access level, and

a query device, for identifying when an attempt to access a sector of said storage device has been prevented by said enforcement device, querying said attempt against a predetermined configuration, and if found acceptable then including said higher level of access in said listing.

4. Apparatus according to claim 2 wherein said query device continues to query such attempts for the duration of one of a predetermined time period and a predetermined number of access attempts.

5. Apparatus according to claim 3 wherein said query device continues to query such attempts for the duration of one of a predetermined time period and a predetermined number of access attempts.

6. Apparatus according to claim 2 wherein said query device continues to query such attempts until the next occasion upon which said computer is reset.

7. Apparatus according to claim 3 wherein said query device continues to query such attempts until the next occasion upon which said computer is reset.

8. Apparatus for ensuring the integrity of computer applications to be run in association with a computer having data storage arranged sectorwise in a storage device, comprising

an identifier for identifying at least one application to be run,

said at least one application being adapted to call at least one other application to run,

a listing associated with at least one of said applications to be run, said listing identifying different sectors of said storage device and associating with each identified sector an access level required by said application,

an enforcement device, for prohibiting said at least one application from accessing an identified sector of said storage device at any level higher than said associated required access level, and

wherein said identifier is adapted firstly to identify a listing associated with said at least one other application for use with said enforcement device, and if such a listing cannot be found then identifying a listing associated with said at least one application for use with said enforcement device.

9. A computer connected to a network, said computer comprising a storage device for storing data, a transmission device for sending data from said computer to said network, a listing of controlled data which should not be sent to said network, a comparison device adapted to compare data sent to said transmission device with said controlled data, and a prevention device for preventing data corresponding to said controlled data being sent automatically to said network.

10. Apparatus according to claim 1 further comprising override means adapted to allow an operator to override said enforcement means.

11. Apparatus according to claim 8 further comprising override means adapted to allow an operator to override said enforcement means.

12. Apparatus according to claim 9 further comprising override means adapted to allow an operator to override said prevention means.

13. Apparatus for ensuring the integrity of computer applications to be run in association with a computer having data storage arranged sectorwise in a storage device, comprising

an identifier for identifying at least one application to be run,

said at least one application being adapted to call at least one other application to run,

a listing associated with at least one of said applications to be run, said listing identifying different sectors of said storage device and associating with each identified sector an access level required by said application,

an enforcement device, for prohibiting said at least one application from accessing an identified sector of said storage device at any level higher than said associated required access level, and

a query device, for identifying when an attempt to access a sector of said storage device has been prevented by said enforcement device, querying said attempt with a user, and if found acceptable then including said higher level of access in said listing,

wherein said identifier is adapted firstly to identify a listing associated with said at least one other application for use with said enforcement device, and if such a listing cannot be found then identifying a listing associated with said at least one application for use with said enforcement device.

14. Apparatus for ensuring the integrity of computer applications to be run in association with a computer having data storage arranged sectorwise in a storage device, comprising

an identifier for identifying at least one application to be run,

said at least one application being adapted to call at least one other application to run,

a listing associated with at least one of said applications to be run, said listing identifying different sectors of said storage device and associating with each identified sector an access level required by said application,

an enforcement device, for prohibiting said at least one application from accessing an identified sector of said storage device at any level higher than said associated required access level, and

a query device, for identifying when an attempt to access a sector of said storage device has been prevented by said enforcement device, querying said attempt against a predetermined configuration, , and if found acceptable then including said higher level of access in said listing,

wherein said identifier is adapted firstly to identify a listing associated with said at least one other application for use with said enforcement device, and if such a listing cannot be found then identifying a listing associated with said at least one application for use with said enforcement device.

15. A computer connected to a network, said computer comprising a storage device for storing data sectorwise, a transmission device for sending data from said computer to said network, a listing of controlled data which should not be sent to said network, a comparison device adapted to compare data sent to said transmission device with said controlled data, and a prevention device for preventing data corresponding to said controlled data being sent automatically to said network, said computer further comprising

an identifier for identifying an application to be run,

a listing associated with at least one of said applications to be run, said listing identifying different sectors of said storage device and associating with each identified sector an access level required by said application, and

an enforcement device, for prohibiting said at least one application from accessing an identified sector of said storage device at any level higher than said associated required access level.

16. A computer connected to a network, said computer comprising a storage device for storing data sectorwise, a transmission device for sending data from said computer to said network, a listing of controlled data which should not be sent to said network, a comparison device adapted to compare data sent to said transmission device with said controlled data, and a prevention device for

preventing data corresponding to said controlled data being sent automatically to said network, said computer further comprising

an identifier for identifying an application to be run,

a listing associated with at least one of said applications to be run, said listing identifying different sectors of said storage device and associating with each identified sector an access level,

an enforcement device, for preventing said at least one application from accessing an identified sector of said storage device at any level higher than said associated access level, and

a query device, for identifying when an attempt to access a sector of said storage device has been prevented by said enforcement device, querying said attempt with a user, and if found acceptable then including said higher level of access in said listing.

17. A computer connected to a network, said computer comprising a storage device for storing data sectorwise, a transmission device for sending data from said computer to said network, a listing of controlled data which should not be sent to said network, a comparison device adapted to compare data sent to said transmission device with said controlled data, and a prevention device for preventing data corresponding to said controlled data being sent automatically to said network, said computer further comprising an identifier for identifying at least one application to be run,

said at least one application being adapted to call at least one other application to run,

a listing associated with at least one of said applications to be run, said listing identifying different sectors of said storage device and associating with each identified sector an access level required by said application,

an enforcement device, for prohibiting said at least one application from accessing an identified sector of said storage device at any level higher than said associated required access level, and wherein said identifier is adapted firstly to identify a listing associated with said at least one other application for use with said enforcement device, and if such a listing cannot be found then identifying a listing associated with said at least one application for use with said enforcement device.

18. A computer connected to a network, said computer comprising a storage device for storing data sectorwise, a transmission device for sending data from said computer to said network, a listing of controlled data which should not be sent to said network, a comparison device adapted to compare data sent to said transmission device with said controlled data, and a prevention device for preventing data corresponding to said controlled data being sent automatically to said network, said computer further comprising

an identifier for identifying at least one application to be run,

said at least one application being adapted to call at least one other application to run,

a listing associated with at least one of said applications to be run, said listing identifying different sectors of said storage device and associating with each identified sector an access level required by said application,

an enforcement device, for prohibiting said at least one application from accessing an identified sector of said storage device at any level higher than said associated required access level, and

a query device, for identifying when an attempt to access a sector of said storage device has been prevented by said enforcement device, querying said attempt against a predetermined configuration, and if found acceptable then including said higher level of access in said listing,

wherein said identifier is adapted firstly to identify a listing associated with said at least one other application for use with said enforcement device, and if such a listing cannot be found then identifying a listing associated with said at least one application for use with said enforcement device.



## ABSTRACT

The invention contains an application operating environment in which acceptable and/or suspect activities may be defined for an application so that unacceptable application behavior can be prevented. This is done by providing a definition table identifying the types of access and actions that the application is allowed and preventing it from carrying out other types of access and actions. The definition table may be built up using a learning process during use of the application. The environment also provides a means of checking information output to a network against a list of confidential information.

FIG. 1







FIG. 2





## COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name; and

I verily believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **Software Application Environment** the specification of which:

(XX) is attached hereto.

( ) was filed on \_\_\_\_\_ as Application Serial No. \_\_\_\_\_ and was amended on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to be material to the patentability of this application in accordance with 37 CFR § 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. § 119(a-d) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of any application on which priority is claimed:

Country	Number	Date Filed	Priority Claimed			
			Yes		No	
			Yes		No	
			Yes		No	

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge

465050-0394680

the duty to disclose to the U.S. Patent and Trademark Office all information known to be material to patentability as defined in 37 CFR § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

Application Serial No.	Filing Date	Status (pending, patented)

I hereby claim the benefit under 35 U.S.C. § 119(e) of any United States provisional application(s) listed below:

Provisional Application No.	Filing Date

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: **John W. Caldwell and Lawrence A. Aaronson**, Registration Nos. 28,937 and 38,369 of the firm of **WOODCOCK WASHBURN KURTZ MACKIEWICZ & NORRIS LLP**, One Liberty Place - 46th Floor, Philadelphia, Pennsylvania 19103, and **Sanford T. Colb**, Registration No. 26,856 of the firm of **SANFORD T. COLB & CO.** Second Floor, Beit Amot Mishpat, 8 Shaul Hamelech Blvd., Tel Aviv 64733, Israel

Address all telephone calls and correspondence to:

**John W. Caldwell**  
**WOODCOCK WASHBURN KURTZ MACKIEWICZ & NORRIS LLP**  
 One Liberty Place - 46th Floor  
 Philadelphia, PA 19103  
 Telephone No. 215-568-3100.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the

United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

1	Full Name: Shimon Gruper	Inventor's Signature:	Date:
	Residence: Kiryat Haim, Israel	Citizenship: Israeli	
	Post Office Address: 17 Hanoter Street, Kiryat Haim 26307, Israel		
2	Full Name: Nicky Pappo	Inventor's Signature:	Date
	Residence: Haifa, Israel	Citizenship: Israeli	
	Post Office Address: 4 David Assaf Street, Haifa 34760, Israel		
3	Full Name: Leonid Kogan	Inventor's Signature:	Date
	Residence: Haifa, Israel	Citizenship: Israeli	
	Post Office Address: 14 Arolozerov Street, Haifa 33136, Israel		
4	Full Name: Eyal Zohar	Inventor's Signature:	Date
	Residence: Kiryat Tivon, Israel	Citizenship: Israeli	
	Post Office Address: 10 Zipornim Street, Kryat Tivon 36066, Israel		
5	Full Name: Sergey Korabelnikov	Inventor's Signature:	Date
	Residence: Haifa, Israel	Citizenship: Israeli	
	Post Office Address: 14/6 Boola Street, Haifa 32811, Israel		